



Quilt Size: 11 ½" x 16 ½" approximately

# Mini Christmas Tree Quilt

## Supplies needed:

6" Add-A-Quarter Ruler

Foundation Newsprint or 201b printer paper

8" x 3" piece of thin plastic or cardboard to fold paper over.

Washable glue stick

## Yardage:

Scrap green print of different values

Scrap brown

1/8 yard of background fabric

Scrap for snow

1/8 yard border fabric

### Pattern Notes:

The solid lines on the pattern are the fold lines and the lines that you will stitch on. The dashed lines are the seam allowance. If you fold back the paper the seam allowance should be sticking out of the side where the seam allowance is represented on the pattern. Of course when the paper is folded back, the seam allowance on the paper will be folded back also.


When you put your first piece on, you can line up the edge to the edge of the seam allowance on your first seam. This way you will not have to cut the  $\frac{1}{4}$ " seam allowance.


### General Instructions:

- 1. Print foundation pieces on foundation newsprint or 20lb paper
- 2. Tape sections together on middle tape line
- 3. Trim to about 1/4" from outer edge of pattern
- 4. Cut a piece of background that is  $\frac{1}{2}''$  bigger on all size then section 1 on the pattern. A rectangle strip of fabric will work.
- 5. Add a stripe of glue on section one on the backside and add the fabric to the backside of the paper lining the short edge of the rectangle on the dashed line on line 1.
- 6. Fold back the paper on the solid line on line 1. The paper should be folded to the front.
- 7. Cut a strip of Brown from your scrap that is bigger than section 2 on all sides.
- 8. Place long edge of the brown with right sides together under the fabric for section one lining up the edge of the fabric along the edge where you folded back the paper for line 1.
- 9. Fold paper back over and set your stitch length to 1.5 on your sewing machine. Stitch on line 1 making sure to start and stop over the stitch line of adjoining sections.
- 10. Fold back paper for your next section and use the add-a-quarter ruler to trim the fabric to  $\frac{1}{4}$ " from the folded edge.
- 11. Fold fabric over on backside and press fabric open.
- 12. Continue to cut your pieces to fit the sections repeat steps 8 to 11.
- 13. Trim foundation pattern on outer edge after paper piecing is finished and remove paper
- 14. Cut (1) 2  $1/2'' \times 9 1/2''$  background pieces and attach to top of completed foundation pieced tree
- 15. Cut (1) 3"  $\times$  9 1/2" of white for snow, place fabric with right side up underneath the tree block on the bottom. The fabric should be over lapping the block about a 1  $\frac{1}{2}$ " or more.
- 16. Cut both the block and the snow fabric in a curve to represent a snow hill.
- 17. Piece the fabric together after cutting.
- 18. If you don't understand how to do this, you can also cut just a straight piece on the bottom to represent snow or not add it at all.
- 19. Square up block.
- 20. Measure quilt and add 2" borders

# Blank Quilt Diagram Debra Clutter 2014

# Colored Quilt Diagram Debra Clutter 2014









Quilt Size: 13" x 16" approximately

# Mini Christmas Tree Quilt

© Debra Clutter 2015

## Supplies needed:

6" Add-A-Quarter Ruler

Foundation Newsprint or 201b printer paper

8" x 3" piece of thin plastic or cardboard to fold paper over.

Washable glue stick

Freezer Paper

## Yardage:

Scrap green print of different values

Scrap brown

1/8 yard of background fabric

Scrap for snow

1/8 yard border fabric

Pattern Notes:

The solid lines on the pattern are the fold lines and the lines that you will stitch on. The dashed lines are the seam allowance. If you fold back the paper the seam allowance should be sticking out of the side where the seam allowance is represented on the pattern. Of course when the paper is folded back, the seam allowance on the paper will be folded back also.

When you put your first piece on, you can line up the edge to the edge of the seam allowance on your first seam. This way you will not have to cut the  $\frac{1}{4}$ " seam allowance.

- 1. Print foundation pieces on foundation newsprint or 201b paper
- 2. Tape sections together on middle tape line
- 3. Trim to about 1/4" from outer edge of pattern
- 4. Cut a piece of background that is  $\frac{1}{2}$ " bigger on all size then section 1 on the pattern. A rectangle strip of fabric will work.
- 5. Add a stripe of glue on section one on the backside and add the fabric to the backside of the paper lining the short edge of the rectangle on the dashed line on line 1.
- 6. Fold back the paper on the solid line on line 1. The paper should be folded to the front.
- 7. Cut a strip of Brown from your scrap that is bigger than section 2 on all sides.
- 8. Place long edge of the brown with right sides together under the fabric for section one lining up the edge of the fabric along the edge where you folded back the paper for line 1.
- 9. Fold paper back over and set your stitch length to 1.5 on your sewing machine. Stitch on line 1 making sure to start and stop over the stitch line of adjoining sections.
- 10. Fold back paper for your next section and use the add-a-quarter ruler to trim the fabric to  $\frac{1}{4}$ " from the folded edge.
- 11. Fold fabric over on backside and press fabric open.
- 12. Continue to cut your pieces to fit the sections repeat steps 8 to 11.
- 13. Trim foundation pattern on outer edge after paper piecing is finished and remove paper
- 14. Sew the ground section you cut from the template to the bottom of the tree.
- 15. Square up block.
- 16. Measure quilt and add borders as desired. The quilt pictured has 1" inner borders and 2" outer borders.

